Appln No.: '09/605,544

Response Dated: November 7,

Reply to Office Action of: Aug

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

What is claimed is:

1 (Original): A method for exchanging data between a source location and a destination location comprising the steps of:

generating a data file with a markup language in accordance with a predetermined schema; generating a first software envelope containing the data file;

transmitting the software envelope to the destination location; and

creating an object from the data file with a plugin object corresponding to the predetermined schema.

2 (Previously Presented): The method of claim 1, further including the step of:

automatically generating a second software envelope from the information contained in the first software envelope.

3 (Original): The method of claim 2, wherein the first software envelope contains destination and source address information and

wherein the step of automatically generating a second envelope includes generating a second envelope having a destination address matching the source address of the first envelope.

4 (Original): The method of claim 2, wherein the first software envelope contains state information and

Appln No.: '09/605,544

Response Dated: November 7, 2

Reply to Office Action of: August 6, 2003

wherein the step of automatically generating a second envelope includes generating a second

envelope having a destination address determined by the state information.

5 (Original): The method of claim 1, wherein the markup language comprises extensible markup

language (XML).

6 (Original): The method of claim 1, wherein the markup language comprises standard generalized

markup language (SGML).

7 (Original): The method of claim 1, wherein the step of transmitting comprises transmitting the

software envelope via electronic mail.

8 (Original): The method of claim 1, wherein the step of transmitting comprises transmitting the

software envelope via HTTP.

9 (Original): The method of claim 1, wherein the step of transmitting comprises transmitting the

software envelope via an intermediate server.

10 (Original): A computer readable medium having computer-executable instructions for

performing the steps recited in claim 1.

11 (Cancelled).

Appln No.: '09/605,544

Response Dated: November 7, 2

Reply to Office Action of: August 6, 2003

12 (Previously Presented): A computer readable medium having stored thereon a data structure comprising:

- (a) a data field containing address information;
- (b) a data field containing the identification of a predetermined schema;
- (c) a data field containing a data file formatted in a markup language in accordance with the schema; and
- (d) a data field containing manifest information corresponding to the information contained in the data field.

13 (Previously Presented): The computer readable medium of claim 12, further including:

(d) a data field containing state information.

14 (Original): The computer readable medium of claim 13, wherein the state information contains address information.

15 (Previously Presented): The computer readable medium of claim 12, wherein the address information contains an address for replying to a message.

16 (Original): A method for creating data at a source location to transmit to a destination location comprising the steps of:

generating a data file with a markup language in accordance with a predetermined schema; identifying a plugin object that creates an object from the data file; generating a software envelope containing the data file; and

transmitting the software envelope to the destination location.

17 (Original): The method of claim 16, wherein the step of generating a software envelope includes generating a software envelope containing the data file and the plugin object.

18 (Original): The method of claim 16, wherein the markup language comprises extensible markup language (XML).

19 (Original): The method of claim 16, wherein the markup language comprises standard generalized markup language (SGML).

> 20 (Original): A method for extracting data from a file transmitted from a source location comprising the steps of:

> receiving a software envelope containing a data file marked up with a markup language in accordance with a predetermined schema; and

> creating an object from the data file with a plugin object corresponding to the predetermined schema.

> 21 (Original): The method of claim 20, wherein the markup language comprises extensible markup language (XML).

> 22 (Original): The method of claim 20, wherein the markup language comprises standard generalized markup language (SGML).